CONTENTS OF HEREDITAS, VOLUME 138 (2003)

36 Aga, E., Bryngelsson, T., Bekele, E. and Salomon, B.
Genetic diversity of forest arabica coffee (*Coffea arabica* L.) in Ethiopia as revealed by random amplified polymorphic DNA (RAPD) analysis.

241 Andjelković, M., Savković, V. and Kalajdžić, P.
Inversion polymorphism in *Drosophila subobscura* from two different habitats from the mountain of Goč.

228 Assefa, K., Merker, A. and Tefera, H.
Multivariate analysis of diversity of tef (*Eragrostis tef* (Zucc.) Trotter) germplasm from western and southern Ethiopia.

11 Bicknell, R.A., Lambie, S.C. and Butler, R.C.
Quantification of progeny classes in two facultatively apomictic accessions of *Hieracium*.

6 Blackman, R.L., Brown, P.A., Ramírez, C.C. and Niemeyer, H.M.
Karyotype variation in the South American aphid genus *Neuquenaphis* (Hemiptera, Aphididae, Neuquenaphidinae).

27 Boff, T. and Schifino-Wittmann, M.T.
Segmental allopolyploidy and paleopolyploidy in species of *Leucaena* Benth: evidence from meiotic behaviour analysis.

187 Brondani, C., Rangel, P.H.N., Borba, T.C.O. and Brondani, R.P.V.
Transferability of microsatellite and sequence tagged site markers in *Oryza* species.

213 Centofante, L., Bertollo, L.A.C., Buckup, P.A. and Moreira-Filho, O.
Chromosomal divergence and maintenance of sympatric *Characidium* fish species (Crenuchidae, Characidiinae).

138 Cuevas, C.C. and Formas, J.R.
Cytogenetic analysis of four species of the genus *Alsodes* (Anura: Leptodactylidae) with comments about the karyological evolution of the genus.

122 Damgaard, C.
Evolution of advantageous alleles affecting population ecological characteristics in partially inbreeding populations.

73 Enerly, E., Mikkelsen, Ø.L., Lyamouri, M. and Lambertsson, A.
Evolutionary profiling of the *U49* snoRNA gene.

1 Falistocco, E. and Falcinelli, M.
Genomic organization of rDNA loci in natural populations of *Medicago truncatula* Gaertn.

101 Guo, Y.-D., Yli-Mattila, T. and Pulli, S.
Assessment of genetic variation in timothy (*Phleum pratense* L.) using RAPD and UP-PCR.

54 Hernández, P., Dorado, G., Ramírez, M.C., Laurie, D.A., Snape, J.W. and Martín, A.
Development of cost-effective *Hordeum chilense* DNA markers: molecular aids for marker–assisted cereal breeding.

193 Imasheva, A.G. and Bubliy, O.A.
Quantitative variation of four morphological traits in *Drosophila melanogaster* under larval crowding.

207 Ji, F.Y., Yu, Q.X., Li, K. and Ren, X.H.
Ag-staining pattern, FISH and ISH with rDNA probes in the rice field eel (*Monopterus albus* Zuiew) chromosomes.

94 Leite-Silva, C., Santos, N., Fagundes, V., Yonenaga-Yassuda, Y. and De Souza, M.J.
Karyotypic characterization of the bat species *Molossus ater, M. molossus* and *Molossops planirostris* (Chiroptera, Molossidae) using FISH and banding techniques.

129 Mandrioli, M. and Manicardi, G.C.
Analysis of insect holocentric chromosomes by atomic force microscopy.

114 Megías-Nogales, B., Marchal, J.A., Acosta, M.J., Bullejos, M., Díaz De La Guardia, R. and Sánchez, A.
Sex chromosomes pairing in two Arvicolidae species: *Microtus nivalis* and *Arvicola sapidus*.

237 Mohammady-D, S., Moore, K. and Ollerenshaw, J.
Qualitative inheritance of water-stress induced apical sterility in wheat (*Triticum aestivum*).

200 Moura, R.C., Souza, M.J., Melo, N.F. and Lira-Neto, A.C.
Karyotypic characterization of representatives from Melolonthinae (Coleoptera: Scarabaeidae): karyotypic analysis, banding and fluorescent in situ hybridization (FISH).

179 Péténian, F. and Nève, G.
Influence of spatial structure on genetic isolation in *Plebejus argus* populations (Lepidoptera: Lycaenidae).

133 Rocha, M.P., Cruz, M.P., Fernandes, A., Waldschmidt, A.M., Silva-Junior, J.C. and Pompolo, S.G.
Longitudinal differentiation in *Melipona mandacaia* (Hymenoptera, Meliponini) chromosomes.

154 Ruiz, M.T. and Carareto, C.M.A.
Characterization of *hobo* element copy number and integrity in Brasilian populations of *Drosophila melanogaster*.

81 Ruiz-Garcia, M.
Molecular population genetic analysis of the spectacled bear (*Tremarctos ornatus*) in the northern Andean area.

158 Tateno, H., Kosuge, M. and Yanagimachi, R.
Avian chromosomes can be examined by injection of erythrocyte nuclei into mouse oocytes.

172 Tsarouhas, V., Gullberg, U. and Lagercrantz, U.
Mapping of quantitative trait loci controlling timing of bud flush in *Salix*.

166 Um, J.-Y., Joo, J.-C., Kim, K.-Y., Lee, K.-M. and Kim, H.-M.
Angiotensin converting enzyme gene polymorphism and traditional Sasang classification in Koreans with cerebral infarction.

161 Wasko, A.P., Martins, C., Oliveira, C. and Foresti, F.
Non-destructive genetic sampling in fish. An improved method for DNA extraction from fish fins and scales.

21 Wei, W.-H., Zhao, W.-P., Song, Y.-C., Liu, L.-H., Guo, L.-Q. and Gu, M.-G.
Genomic in situ hybridization analysis for identification of introgressed segments in alloplasmic lines from *Zea mays* × *Zea diploperennis*.

47 Wang, J.X., Zhao, X.F., Deng, Y., Qi, H.Y. and Wang, Z.J.
Chromosomal polymorphism of mandarin vole, *Microtus mandarinus* (Rodentia).

59 Wang, J.-X., Zhao, X.-F., Koh, H.S., Deng, Y. and Qi, H.-Y.
Chromosomal polymorphisms due to heterochromatin growth and pericentric inversions in white-bellied rat, *Niviventer confucianus*, from China.

219 Yazdani, R., Scotti, I., Jansson, G., Plomion, C. and Mathur, G.
Inheritance and diversity of simple sequence repeat (SSR) microsatellite markers in various families of *Picea abies*.

148 Yokoyama, T., Abe, H., Irobe, Y., Saito, K., Tanaka, N., Kawai, S., Ohbayashi, F., Shimada, T. and Oshiki, T.
Detachment analysis of the translocated W chromosome shows that the female-specific randomly amplified polymorphic DNA (RAPD) marker, Female-218, is derived from the second chromosome fragment region of the translocated W chromosome of the sex-limited p^B silkworm (*Bombyx mori*) strain.

65 Zhou, S.-Q.
Viewing the difference between the diploid and the polyploid in the light of the upland cotton aneuploid.